AMBULANCE SUPPLIES - BLS

	General Equipment
	(1) Ambulance to hospital radio (Merci – tests functional)
	(1) Wheeled multi-level cot with 3 sets of straps
一	(1) Three point fastener for cot/cot fits securely
Ħ	(1) Secondary stretcher with 3 sets of straps
H	(10) Illinois PCR run sheets
H	
H	(1 Each) Blood pressure cuff with gauge (infant, child, adult, obese)
\vdash	(2) Stethoscope
	(1) Bandage shears
	(1) Child/infant car seat
	(1) Pediatric sizing/dosing chart or tape
	(1) Poison control number (posted)
\Box	(1) Pediatric trauma score reference (On Illinois PCR run sheets)
一	(1) OB kit, sterile
Ħ	(1) Aluminum foil or (1) silver swaddler with head cover
Ħ	(2) Pillows with pillowcases
H	(2) Sheets
H	
H	(2) Blankets
\blacksquare	(2) Emesis basins/vomit bags
	(3) Cold packs
	(2) Disposable Styrofoam or plastic drinking cups
	(1 Each) Urinal and bedpan
	(1 quart) Drinking water (sterile water is ok)
	(1) Plastic baby bottle with nipple
	(2) Penlights
一	(1) Glucometer with strips (optional)
Ħ	(10) SMART Triage Tag
H	(1) AED with combo pads – razor/towels/wash cloths (optional)
H	
	(1) RAZOR (to be included with AED)
	Personal Safety/Biohazard Equipment
	(Appropriate Sizes) Nonporous disposable gloves
\Box	(1) Red biohazard bag – impermeable
Ħ	(2) Goggles or face shields
一	(2) Face masks to cover nose and mouth
H	(2) N-95 masks
H	
	(2) Gowns
	Dressing/Bandaging Supplies
	(6) Trauma dressing
Ħ	(20) 4" X 4" gauze pads
H	(10) Roller style self adhering bandages (4" X 5yd)
H	
H	(2) Vaseline gauze 3" X 8"
\vdash	(2) Burn sheet (clean, individually wrapped)
	(2) Adhesive tape rolls

<u>AMBULANCE SUPPLIES – BLS (CONTINUED)</u>

Medications Adult Epi-pen 0.3 mg Pediatric Epi-pen 0.15 mg (60 lbs or less) Oral Glucose
Oxygenation/Airway Equipment (1) On board Oxygen tank – not empty (1) Portable O ₂ tank with 15 LPM regulator – at least "D" size/not empty (1) Spare portable tank full (secured) (2) Oxygen connection tubing (3 Each) Nasal cannulas (adult, child and infant) (2 Each) Non-rebreather masks (adult, child and infant) (1) CPR mask with one way valve (1) Adult bag-valve-mask (adult and child size masks) (1) Pediatric bag-valve-mask (child and infant size masks) (1 Set) Oral airways (infant through adult) (1 Each) Nasopharyngeal airways (infant, child, adult – sizes 12-30F) (1) Lubricant for airway equipment (Surgilube, K-Y, etc.) (1) On board suction equipment
 tests as functional, 10 ft. clear ¼ inside diameter tubing, collection bottle obtains 300 mm within 4 seconds of clamping tube adjustable vacuum levels collection bottle holds 1000 ml Portable suction (tests as functional with clear tubing, ¼ inch inside diameter, collection bottle, can run on battery for 20 minutes if necessary) manually operated suction device (IDPH approved)
 (6) Semi-rigid pharyngeal suction tips (Yankauer style) (6 Each) Sterile suction catheters (6-8F, 10-12F, 14-18F) (2000 ml) Sterile solution (water or saline, bottles or bags) Combitube (optional)
Immobilization/Splinting (1) Long spine board with 3 sets of straps and cervical immobilization device
(1) Pediatric spine board with 3 sets of straps (optional) (1) Short spine board or vest type device (KED, ZED) (1 Each) Rigid cervical collars (pediatric, small, medium, large) (1 Set) Extremity splints – adult (two each, long and short) (1 Set) Extremity splints – pediatric (two each, long and short) (1 Set) Restraints for arms and legs (5) Triangular bandages with safety pins) (1 Each) Traction splint (pediatric and adult) (1) Scoop stretcher (1 Each) Pneumatic anti-shock garment/MAST (adult and pediatric) (Optional)

<u>AMBULANCE SUPPLIES – BLS (CONTINUED)</u>

Extrication Equipment (1) Wrecking bar – at least 24 inches (2) Fire extinguishers – at least 5 lb. ABC each (1) Flashlight (battery operated) Agreement with local fire department/rescue agency for extrication Agreement with local garage to replace/repair tires
General Observation Patient area is clean. Equipment is secured in patient area.